

PREVALENCE OF DIABETES - BERMUDA, 2006

OVERALL PREVALENCE ESTIMATE - 12.7%



PREVALENCE OF HYPERTENSION - BERMUDA, 2006


OVERALL PREVALENCE ESTIMATE - 25.3%



PHYSICAL ACTIVITY - BERMUDA, 2006

OVERALL ESTIMATES


REGULARLY ENGAGES IN PHYSICAL ACTIVITY - 65.2% 30 MINUTES AT LEAST 3 TIMES PER WEEK - 27.3% 30 MINUTES AT LEAST 5 TIMES PER WEEK - 37.9%



■5 X PER WEEK ■3 X PER WEEK


PREVALENCE OF OVERWEIGHT AND OBESITY - BERMUDA, 2006

OVERALL ESTIMATES
ABOVE NORMAL BODY WEIGHT - 61.2%
OVERWEIGHT - 38.2%



CURRENT CIGARETTE SMOKING - BERMUDA, 2006


OVERALL ESTIMATE - 13.4%



SOURCE: HEALTH SURVEY OF ADULTS AND CHILDREN IN BERMUDA 2006

ALCOHOL CONSUMPTION - BERMUDA, 2006

OVERALL ESTIMATE 53.2%



■3+ DRINKS PER OCCASION ■1 - 2 DRINKS/OCCASION