

BERMUDA CAUSES OF DEATH 2006

| Underlying Cause | Number of deaths | | | % of total deaths | | | Death rates (per 1000 pop) | | |
|-----------------------|------------------|-----|-----|-------------------|-------|--------|----------------------------|------|------|
| | M | F | ALL | M | F | ALL | M | F | ALL |
| Circulatory | 100 | 86 | 186 | 22.1% | 19.0% | 41.2% | 3.28 | 2.58 | 2.92 |
| Neoplasms | 62 | 44 | 106 | 13.7% | 9.7% | 23.5% | 2.03 | 1.32 | 1.66 |
| External Causes | 22 | 6 | 28 | 4.9% | 1.3% | 6.2% | 0.72 | 0.18 | 0.44 |
| Digestive | 12 | 9 | 21 | 2.7% | 2.0% | 4.6% | 0.39 | 0.27 | 0.33 |
| Respiratory | 11 | 9 | 20 | 2.4% | 2.0% | 4.4% | 0.36 | 0.27 | 0.31 |
| Diabetes | 9 | 11 | 20 | 2.0% | 2.4% | 4.4% | 0.30 | 0.33 | 0.31 |
| Nervous | 5 | 11 | 16 | 1.1% | 2.4% | 3.5% | 0.16 | 0.33 | 0.25 |
| Genitourinary (Renal) | 7 | 3 | 10 | 1.5% | 0.7% | 2.2% | 0.23 | 0.09 | 0.16 |
| All other causes | 19 | 26 | 45 | 4.2% | 5.8% | 10.0% | 0.62 | 0.78 | 0.71 |
| All causes | 247 | 205 | 452 | 54.6% | 45.4% | 100.0% | 8.10 | 6.16 | 7.08 |

| Underlying cause | Number of deaths | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|------------------|---|---|-----|---|---|------|---|---|-------|---|---|-------|---|----|-------|----|----|---------|-----|-----|----|-----|
| | Less than 1 | | | 1-4 | | | 5-14 | | | 15-24 | | | 25-44 | | | 45-64 | | | over 65 | | | | |
| | M | F | T | M | F | T | M | F | T | M | F | T | M | F | T | M | F | T | M | F | T | | |
| Circulatory | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 17 | 11 | 28 | 80 | 74 | 154 |
| Neoplasms | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 26 | 10 | 36 | 36 | 33 | 69 | |
| External Causes | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 4 | 5 | 0 | 5 | 8 | 0 | 8 | 5 | 6 | 11 | | |
| Digestive | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 2 | 5 | 7 | 7 | 14 | | |
| Respiratory | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 1 | 4 | 7 | 8 | 15 | | |
| Diabetes | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 3 | 7 | 10 | 17 | | |
| Nervous | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 4 | 11 | 15 | | |
| Genitourinary (Renal) | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 5 | 3 | 8 | | |
| All other causes | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 6 | 6 | 3 | 9 | 7 | 20 | 27 | | |
| All causes | 4 | 0 | 4 | 0 | 1 | 1 | 1 | 0 | 1 | 4 | 0 | 4 | 15 | 1 | 18 | 66 | 28 | 94 | 158 | 172 | 330 | | |

| Underlying cause | Number of deaths | | | | | | | | | | | | | | | | | | | | |
|-----------------------|------------------|------|------|------|------|------|------|------|------|-------|------|------|-------|------|------|-------|------|-------|---------|-------|-------|
| | Less than 1 | | | 1-4 | | | 5-14 | | | 15-24 | | | 25-44 | | | 45-64 | | | over 65 | | |
| | M | F | T | M | F | T | M | F | T | M | F | T | M | F | T | M | F | T | M | F | T |
| Circulatory | 0.0% | 0.0% | 0.0% | 0.0% | 0.2% | 0.2% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.7% | 0.0% | 0.7% | 3.8% | 2.4% | 6.2% | 17.7% | 16.4% | 34.1% |
| Neoplasms | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.2% | 0.2% | 5.8% | 2.2% | 8.0% | 8.0% | 7.3% | 15.3% |
| External Causes | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.9% | 0.0% | 0.9% | 1.1% | 0.0% | 1.1% | 1.8% | 0.0% | 1.8% | 1.1% | 1.3% | 2.4% |
| Digestive | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.2% | 0.0% | 0.2% | 0.0% | 0.0% | 0.0% | 0.2% | 0.0% | 0.2% | 0.7% | 0.4% | 1.1% | 1.5% | 1.5% | 3.1% |
| Respiratory | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.2% | 0.0% | 0.2% | 0.7% | 0.2% | 0.9% | 1.5% | 1.8% | 3.3% |
| Diabetes | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.4% | 0.2% | 0.7% | 1.5% | 2.2% | 3.8% |
| Nervous | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.2% | 0.0% | 0.2% | 0.0% | 0.0% | 0.0% | 0.9% | 2.4% | 3.3% |
| Genitourinary (Renal) | 0.2% | 0.0% | 0.2% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.2% | 0.0% | 0.2% | 1.1% | 0.7% | 1.8% |
| All other causes | 0.7% | 0.0% | 0.7% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.9% | 0.0% | 1.3% | 1.3% | 0.7% | 2.0% | 1.5% | 4.4% | 6.0% |
| All causes | 0.9% | 0.0% | 0.9% | 0.0% | 0.2% | 0.2% | 0.2% | 0.0% | 0.2% | 0.9% | 0.0% | 0.9% | 3.3% | 0.2% | 4.0% | 14.6% | 6.2% | 20.8% | 35.0% | 38.1% | 73.0% |

| External Causes | Number of deaths | | | | | | | | | | | |
|--|------------------|---|---|-------|---|---|-------|---|---|-----|---|----|
| | 15-24 | | | 25-44 | | | 45-64 | | | 65+ | | |
| | M | F | T | M | F | T | M | F | T | M | F | T |
| Transport Accidents | 4 | 0 | 4 | 3 | 0 | 3 | 6 | 0 | 6 | 1 | 0 | 1 |
| Falls | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 3 | 3 |
| Other external causes of accidental injury | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 3 | 1 | 4 |
| Accidental poisoning and exposure to noxious substances (overdose) | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| Intentional self-harm | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| Complications of surgical and medical care | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 |
| All external causes | 4 | 0 | 4 | 5 | 0 | 5 | 8 | 0 | 8 | 5 | 6 | 11 |

Source: Epidemiology & Surveillance Unit, Department of Health